

DAFTAR PUSTAKA

- Abadi ATB, Kusters JG (2016). Management of *Helicobacter pylori* infections. *BMC Gastroenterol*, 16: 94.
- Abdullah M, Gunawan J (2012). Dispepsia. *CDK*, 39(9): 647-51.
- Aditya R (2015). Profil penderita sindrom dispepsia di RSUP M. Djamil Padang. Padang. Universitas Andalas. Skripsi.
- Adi P (2009). Pengelolaan perdarahan saluran cerna bagian atas. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). *Buku Ajar Ilmu Penyakit Dalam Jilid I. Ed 5*. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 447-52.
- Akamizu T, Shinomiya T, Irako T, Fukunaga M, Nakai Y, Nakai Y, Kangawa K (2005). Separate measurement of plasma levels of acylated and desacyl ghrelin in healthy subjects using a new direct ELISA assay. *J Clin Endocrinol Metab*, 90(1): 6-9.
- Akil HAM (2009). Tukak duodenum. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). *Buku Ajar Ilmu Penyakit Dalam Jilid I. Ed 5*. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 523-5.
- Allescher HD (2006). Functional dyspepsia a multicausal disease and its therapy. *Phytomedicine*, 13(5): 2-11.
- Andre Y, Machmud R, Murni AW (2013). Hubungan pola makan dengan kejadian depresi pada penderita dispepsia fungsional. *Jurnal Kesehatan Andalas*, 2(2): 73-5.
- Bitar K, Meerveld BGV, Saad R, Wiley J (2011). Aging and gastrointestinal Neuromuskular function: insights from within and outside the gut. *Neurogastroenterol Motil*, 23(6): 490-501.
- Bytzer P (2010). Dyspepsia as an adverse effect of drugs. *Best Pract Clin Gastroenterol*, 24(2): 109-20.
- Choung RS, Locke GR III, Schleck CD, Zinsmeister AR, Talley NJ (2014). The effects of aging on the onset and persistence of unexplained abdominal pain: a population-based study. *Aliment Pharmacol Ther*, 39(2): 217-25.
- Crawford JM, Kumar V (2007). Rongga mulut dan saluran gastrointestinal. Dalam: Kumar V, Cotran RS, Robbins SL (eds). *Buku Ajar Patologi. Ed 7*. Jakarta: EGC, pp: 622-9.

Departemen Kesehatan RI (2006). Rencana Strategis Departemen Kesehatan Tahun 2005-2009. Jakarta: Depkes RI.

De Giorgi F, Sarnelli G, Cirillo C, Savino IG, Turco F, Nardone G, Rocco A, et al. (2013). Increased severity of dyspeptic symptoms related to mental stress is associated with sympathetic hyperactivity and enhanced endocrine response in patients with postprandial distress syndrome. *Neurogastroenterol Motil*, 25(1): 31-8.

Dinas Kesehatan Provinsi Sumatera Barat (2013). Laporan Morbiditas Pasien Rawat Inap RS Provinsi 2011-2012. Padang: Dinkes Sumatera Barat.

Djojoningrat D (2009). Dispepsia fungsional. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). *Buku Ajar Ilmu Penyakit Dalam Jilid I. Ed 5*. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 529-33.

Djojoningrat D (2009). Pendekatan klinis penyakit gastrointestinal. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). *Buku Ajar Ilmu Penyakit Dalam Jilid I. Ed 5*. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 441-6.

Dorland WAN (2010). *Dorland's Pocket Medical Dictionary*. Ed 31. Jakarta: EGC.

Ghoshal UC, Singh R, Chang FY, Hou X, Wong BCY, Kachintorn U (2011). Epidemiology of uninvestigated and functional dyspepsia in Asia: facts and fiction. *J Neurogastroenterol Motil*, 17(3): 235-44.

Guyton AC, Hall JE (2007). Fisiologi gangguan gastrointestinal. Dalam: *Buku Ajar Fisiologi Kedokteran*. Ed 11. Jakarta: EGC, pp: 860-3.

Harahap Y (2010). Karakteristik penderita dispepsia rawat inap di RS Martha Friska Medan tahun 2007. Medan. Universitas Sumatera Utara. Skripsi.

Hirlan (2009). Gastritis. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). *Buku Ajar Ilmu Penyakit Dalam Jilid I. Ed 5*. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 509-12.

Houghton JM, Wang TC (2006). Tumors of the stomach. Dalam: Feldman M, Friedman LS, Brandt LJ (eds). *Sleisenger & Fordtran's Gastrointestinal and Liver Disease*. 8th Ed. Philadelphia: Elsevier Saunders, pp: 1139-55.

Jemilohun AC, Fadare JO (2013). Dyspepsia management in resource poor setting. *Ann Ib Postgrad Med*, 11(1): 2-6.

Kementerian Kesehatan (2011). *Profil Kesehatan Indonesia 2011*. Jakarta: Badan Litbangkes, Depkes RI.

- Khotimah N (2012). Analisis faktor-faktor yang memengaruhi sindroma dispepsia mahasiswa Fakultas Keperawatan Universitas Sumatera Utara. Medan. Universitas Sumatera Utara. Skripsi.
- Kim SE, Park HK, Kim N, Joo YE, Baik GH, Shin JE, Seo GS, et al. (2014). Prevalence and risk factors of functional dyspepsia: a nationwide multicenter prospective study in Korea. *J Clin Gastroenterol*, 48(2): e12-8.
- Kim YS, Lee JS, Lee TH, Cho JY, Kim JO, Kim WJ, Kim HG, et al. (2012). Plasma levels of acylated ghrelin in patients with functional dyspepsia. *World J Gastroenterol*, 18(18): 2231-7.
- Kumar A, Pate J, Sawant P (2012). Epidemiology of functional dyspepsia. *J Assoc Phys India*, 60 Supp: 9-12.
- Lacy BE, Everhart K, Crowell MD (2011). Functional dyspepsia is associated with sleep disorders. *Clin Gastroenterol Hepatol*, 9(5): 410-4.
- Lee YY, Chua ASB (2013). What indigestion means to the Malays?. *J Neurogastroenterol Motil*, 19(3): 295-300.
- Limbong UM (2014). Faktor yang memengaruhi terjadinya sindroma dispepsia pada mahasiswa Fakultas Kedokteran Universitas Sumatera Utara. Medan. Universitas Sumatera Utara. Skripsi.
- Lindseth GN (2005). Gangguan lambung dan duodenum. Dalam: Price SA, Wilson LM (eds). *Patofisiologi Konsep Klinis Proses-Proses Penyakit*. Ed 6. Jakarta: EGC, pp: 421-9.
- Lipoeto NI, Putra DP (2008). Potensi protektif makanan tradisional Minangkabau terhadap penyakit kardiovaskular. Universitas Andalas. Working Paper.
- Li M, Lu B, Chu L, Zhou H, Chen M.Y (2014). Prevalence and characteristics of dyspepsia among college students in Zhejiang Province. *World J Gastroenterol*, 20(13): 3649-54.
- Mahadeva S, Goh KL (2006). Epidemiology of functional dyspepsia: a global perspective. *World J Gastroenterol*, 12(17): 2661-6.
- Mapel D, Roberts M, Overhiser A, Mason A (2013). The epidemiology, diagnosis, and cost of dyspepsia and helicobacter pylori gastritis: a case-control analysis in the Southwestern United States. *Helicobacter*, 18(1): 54-65.
- Masoumi SJ, Mehrabani D, Moradi F, Zare N, Firouzi MS, Mazloom Z (2015). The prevalence of dyspepsia symptoms and its correlation with quality of life among Qashqai Turkish migrating nomads in Fars Province, Southern Iran. *Pak J Med Sci*, 31(2): 325-30.

- Miwa H, Ghosal UC, Gonlachanvit S, Gwee KA, Ang TL, Chang FY, Fock KM, et al. (2012). Asian consensus report on functional dyspepsia. *J Neurogastroenterol Motil*, 18(2): 150-168.
- Muya Y (2013). Karakteristik penderita dispepsia fungsional yang mengalami kekambuhan di bagian penyakit dalam RSUP M. Djamil Padang Sumbar tahun 2011. Padang. Universitas Andalas. Skripsi.
- Piessevaux H, De Winter B, Louis E, Muls V, De Looze D, Pelckmans P, et al. (2009). Dyspeptic symptoms in the general population: a factor and cluster analysis of symptom groupings. *Neurogastroenterol Motil*, 21(4): 378-88.
- Rani AA, Fauzi A (2009). Infeksi *helicobacter pylori* dan penyakit gastroduodenal. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). *Buku Ajar Ilmu Penyakit Dalam Jilid I*. Ed 5. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 501-8.
- Reshetnikov OV, Kurilovich SA (2007). Mode of dieting and dyspepsia: a population-based study. *Vopr Pitan*, 76(4): 35-7.
- Shaib Y, El-Seraq HB (2004). The prevalence and risk factors of functional dyspepsia in a multiethnic population in United State. *Am J Gastroenterol*, 99(11): 2210-6.
- Shinomiya T, Fukunaga M, Akamizu T, Irako T, Yokode M, Kangawa K, Nakai Y, et al. (2005). Plasma acylated ghrelin levels correlate with subjective symptoms of functional dyspepsia in female patients. *Scand J Gastroenterol*, 40(6): 648-53.
- Simadibrata M, Makmun D, Abdullah M, Syam AF, Fauzi A, Renaldi K, Maulahela H, Utari AP (2014). Konsensus Nasional Penatalaksanaan Dispepsia dan Infeksi *Helicobacter pylori*. Jakarta: Perkumpulan Gastroenterologi Indonesia (PGI).
- Soraya A, Jayalangkara A, Hawaidah, Patellongi I (2012). Hubungan derajat ansietas dengan dispepsia organik. Makassar. Universitas Hasanuddin. Skripsi.
- Tack J, Talley NJ, Camilleri M, Holtmann G, Malagelada JR, Stanghellini V (2006). Functional gastroduodenal disorders. *Gastroenterology*, 130(5): 1466-79.
- Tarigan CJ (2003). Perbedaan depresi pada pasien dispepsia fungsional dan dispepsia organik. Medan. Universitas Sumatera Utara. Skripsi.

- Tarigan P (2009). Tukak gaster. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). Buku Ajar Ilmu Penyakit Dalam Jilid I. Ed 5. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 515-22.
- Wade PR, Cowen T (2004). Neurodegeneration: a key factor in the ageing gut. *Neurogastroenterol Motil*, 16(s1): 19-23.
- Welen K, Ashild F, Thomas F (2007). Functional dyspepsia affects woman more than men in daily life: a case-control study in primary care. *Gend Med*, 5(1): 62-73.
- Yarandi SS, Christie J (2013). Functional dyspepsia in review: pathophysiology and challenges in the diagnosis and management due to coexisting gastroesophageal reflux disease and irritable bowel syndrome. *Gastroenterol Res Pract*, 2013: 351086.
- Yazdanpanah K, Moghimi N, Yousefinejad V, Ghaderi E, Azizi A, Nazem F (2012). Dyspepsia prevalence in general population aged over 20 in the west part of Iran. *J Pak Med Assoc*, 62(7): 672-6.
- Yu J, Liu S, Fang XC, Zhang J, Gao J, Xiao YL, Zhu LM, et al. (2013). Gastrointestinal symptoms and associated factors in chinese patients with functional dyspepsia. *World J Gastroentero*, 19(32): 5357-64.

